


INTRUSION & FIRE SECURITY SAFETY SOLUTION

Provide You Cost-effective Security Solution
Without Compromising System Quality.

Residential Security Diagram




Residential Solution Detail

- **Garage:** Install the garage door sensor (GDS) for the garage door to monitoring the opening, protects your garage door away from illegal intrusion or break-in to steal your property.
- **Kitchen:** Kitchen is the place where the control panel (CP) installed for easy access without compromising secure of alarm system. Control panel is receiving alarm signals from sensor and transmit the alarm out via telephone line or GSM cellular network. Install the door sensor (DS) to monitoring the kitchen door opening. Heat sensor (H) is installed in kitchen also for detecting high temperature or rapid heat rise.
- **Living room:** Install the motion sensor (MS) on the wall of living room for detecting of movement within living room area, door sensor (DS) installed in the windows for detecting of windows opening, recessed door sensor (RDS) conceal installed in the front door as the perimeter protection. In addition, the security camera (C) can generate live video footage for the activity inside house.
- **Basement:** Install the security cameras (C) for video surveillance in basement, motion sensor (MS) to detect the movement within basement.
- **Laundry room:** Install the water/flood sensor (WF), trigger the alarm when detect the water, door sensor (DS) in the laundry door to detect opening.
- **Bedroom 1:** Install the door sensor (DS) for the medicine cabinet, detecting when people open the medicine cabinet. Smoke/Heat Sensor (S/H) detects the smoke and temperature/heat rise to prevent fire disaster.
- **Bedroom 2:** Install the smoke/heat sensor for detect smoke & heat for prevention fire disaster, CO (CO) sensors for detecting dangerous levels of carbon monoxide.

STUNNING DIY ALARM SYSTEM

Protect your home and your family with the most advanced and reliable wireless home security system from Unifore. Only Unifore can give you industry-leading safety, security and peace in mind.



Protect your property with our latest wireless alarm system from Unifore. Bring user-intuitive experience with easy installation!



Burglary Monitoring

Working with various intrusion detection sensors such as door/window sensor, PIR motion sensor, Dual tech motion sensor, Infrared Beam sensor. The alarm system can make alarm notification once it detects unauthorized entries or break-ins. Monitoring your property in real time.



Fire Monitoring

It can be used as fire alarm system, working with both wireless/wired fire sensors such as smoke sensor, heat sensor. Giving panic fire alert while working at 24 hours.



Medical Alert

Push a button to be connected to users through the two-way voice intercom system. If assistance is needed, this professional will contact the appropriate emergency response services.



CO Monitoring

Offering high quality carbon monoxide sensor for detection of existence carbon monoxide, giving emergency alert, while density reach the trigger point. Making your home safe with CO alarm systems.



Flood Monitoring

Providing professional industrial flood sensor for flood monitoring. Protecting your property away from flood damage, even offering water leakage detection function. Giving alert once it detects water leakage.



Temperature Monitoring

Built-in temperature sensor for real time temperature monitoring. Allowing user to set upper and lower certain point for temperature alert. Real time temperature degree on LCD display of alarm panel.

Product Summary:

The G60-Ultimate is the latest design wireless alarm system represents a new way to home security. The system is a "Do-it-yourself" system that has advanced functions and yet easy to install, and that you can remotely control anywhere with your smartphone. It comes with smartphone App and allowing users to Arm/Disarm, checking system's status and get notified with alarm alerts including intrusion, fire, environment (flood, carbon monoxide, combusive gas, temperature).


The standard kit contains a motion sensor, a door/window sensor, two wireless remote keyfobs. All these sensors are connecting with the alarm panel via wireless radio frequency. The touch alarm panel is equipped with Quad-band GSM/GPRS cellular communicator, it allows users program up to five emergency phone numbers. Once an alarm is triggered, the system will notify these phone numbers in auto dialing phone call or text message (SMS).

Product Specification:

	Description
Model	G60-Ultimate
Zones	30 fully programmable wireless zones, 4 hardwired zones
Panel	Self-contained alarm panel
Keypad	Built-in touch sensitive keypad
Display	Industrial blue lit LCD display, 4 lines plain text
Arming modes	Away Arm, Stay/Home Arm
Communication	PSTN & GSM cellular network
Preset numbers	Can preset 6 phone numbers (including 1 CMS number, 5 personal numbers)
Status info	Can preset 1 mobile phone number to receive system status
Alarm report	Voice dialing call and text message to CMS & personal phone number
Maximum sensors	116 pieces wireless sensors (intrusion, fire, panic, water leak); unlimited wired sensors
Smart zone	Support smart zone function, automatically check the status of doors/windows
Speed dial	Support
Two-way Com.	Support two-way voice communication
Event log	100 alarm event log; 100 operation event log
Code	Admin code, user code
Protocol	CID (ADEMCO Contact ID)
Voice message	Can record up to 9 seconds voice message
Siren output	12V DC 400mA siren output
Alarm output	N.O dry contact relay output
GSM module	M10 (GSM + GPRS)
GSM freuqncy	850/900/1800/1900MHz
Wireless frequency	433MHz / 868MHz (optional)
Wireless range	> = 100 meters (open space)
Power supply	Input: 100 - 240V AC; output: 12V DC 1000mA
Backup battery	Rechargeable Lithuim-ion 3.7V 800mAH
Standby time	8 hours
Working condition	-30°C~+60°C / Less than 95%RH (no condensation)



www.unifore.net



We will take care of your home's safety,
So you can take care of what matters most.



G10-Ultimate is the modern wireless residential and commercial alarm system that suitable for your home and business. This system is designed to meet the growing need for integrated security systems that combined with intrusion detection, detection of hazardous conditions such as fire and gas leaks, and HD video monitoring through smartphone.

Main Features:

- Integrated alarm + home automation + video monitoring
- Self-contained alarm panel with LCD display
- Touch keypad design for user-friendly operation
- Built-in Quad-band frequency GSM communicator
- Five personal emergency phone numbers
- One Alarm Receiving Centre phone number
- Alarm notification via phone call or SMS
- ADEMCO Contact ID (CID) protocol to connect to ARC
- RFID function
- Free smartphone App (Android and iOS)



INTRUSION

Intrusion

Intrusion and break-in is the first priority for your home security. Our security alarm systems adopts the latest intrusion motion sensor, perimeter sensors, as well as security cameras, to keep bad guys out.



FIRE

Fire

Avoid the nightmare of fire disaster, pre-alarm before spread of fire through your home is another crucial functions of our security alarm systems. Protect your home away from fire disaster.



FLOOD

Flood

Want to get informed and pre-alarmed, when the water leak into your basement or house? Water leak sensor send alarm message, when contact the water.




CO

CO

Today's security no longer only provides intrusion & fire protection. Work with CO detectors, the alarm system can protect your family away from toxic gas.

Product Specification:

	Description
Model	G10-Ultimate
Zones	30 fully programmable wireless zones, 4 hardwired zones
Panel	Self-contained alarm panel
Keypad	Built-in touch sensitive keypad
Display	Orange lit LCD display, 2 lines plain text
Arming modes	Away Arm, Stay/Home Arm
Communication	PSTN & GSM cellular network
Preset numbers	Can preset 6 phone numbers (including 1 CMS number, 5 personal numbers)
Status info	Can preset 1 mobile phone number to receive system status
Alarm report	Voice dialing call and text message to CMS & personal phone number
Maximum sensors	116 pieces wireless sensors (intrusion, fire, panic, water leak); unlimited wired sensors
Smart zone	Support smart zone function, automatically check the status of doors/windows
Speed dial	Support
RFID	Support 5 RFID tags
Wireless Sockets	Support 8 wireless remote sockets
Two-way Com.	Support two-way voice communication
Event log	100 alarm event log; 100 operation event log
Code	Admin code, user code
Protocol	CID (ADEMCO Contact ID)
Voice message	Can record up to 9 seconds voice message
Siren output	12V DC 400mA siren output
Alarm output	N.O dry contact relay output
GSM module	M10 (GSM + GPRS)
GSM frequency	850/900/1800/1900MHz
Wireless frequency	433MHz / 868MHz (optional)
Wireless range	>= 100 meters (open space)
Power supply	Input: 100 - 240V AC; output: 12V DC 1000mA
Backup battery	Rechargeable Lithium-ion 3.7V 800mAH
Standby time	>= 12 hours
Working condition	-30°C~+60°C / Less than 95%RH (no condensation)



www.unifore.net

WISEN WIFI/GSM ALARM SYSTEM



Protect your home from distance, easily.


The Wisen combines all the user-friendliness of a Wi-Fi connected alarm system, and the reliability of the communication by SMS and phone call. Control your alarm system from distance with the iOS and Android apps when you have an Internet connection, and receive a phone call or SMS when you don't.

Main Features

- 2.4GHz WiFi + GSM connection
- Free Android and iOS App
- Send push notification or SMS alert
- Make auto dialing phone call
- SOS button design
- Including 24 wireless zones, 4 hardwired zones
- Support 10 pieces remote keyfobs/keypads
- Support 20 pieces remote sockets/plugs
- Away arm, home/stay arm mode
- Alarm delay, arm delay, schedule arm function
- Five phone number settings, send SMS or make auto dialing
- System operation log
- Support third-party alarm monitoring service by using CID protocol



Standard Pack



- WiFi+GSM Alarm Panel x1
- Wireless PIR Motion Sensor x1
- Wireless Magnetic Contact x1
- Wireless Remote Control x2
- Wireless Doorbell x1
- AC/DC Adapter x1
- Installation Bracket + Screws x1
- Instruction Manual x1

Technical Information

	Description
Model	Wisen X10
Zones	24 fully programmable wireless zones, 4 hardwired zones
Panel	WiFi + GSM alarm panel
Keypad	Works with up to 10 wireless RFID keypad
Display	No Display
Arming modes	Away Arm, Stay/Home Arm
Communication	WiFi & GSM cellular network
Preset numbers	Can preset 6 phone numbers (including 1 CMS number, 5 personal numbers)
Alarm report	Send push notification when it connects to Internet
Alarm report	Voice dialing call and text message to CMS & personal phone number
Maximum sensors	96 pieces wireless sensors (intrusion, fire, panic, water leak); unlimited wired sensors
Smart zone	Support smart zone function, automatically check the status of doors/windows
Event log	60 alarm event log
Users	One admin account simultaneously use on 5 sets smartphones, 5 user accounts to arm/disarm the system.
Protocol	CID (ADEMCO Contact ID)
Siren output	12V DC 400mA siren output
Alarm output	N.O dry contact relay output
GSM module	M10 (GSM + GPRS)
WiFi	IEEE 802.11 b/g/n 2.4GHz
GSM frequency	850/900/1800/1900MHz
Wireless frequency	433MHz
Wireless range	>= 100 meters (open space)
Power supply	Input: 100 - 240V AC; output: 12V DC 1000mA
Backup battery	Rechargeable Lithium-ion 3.7V 800mAh
Standby time	12 hours
Working condition	-30°C~+60°C / Less than 95%RH (no condensation)

Recommended Sensors & Accessories

We recommend you the wireless security detectors and accessories which can allow you to achieve simple and fast installation.

WIRELESS RFID TOUCH KEYPAD



- Model: VS-WJP1
- Wireless RFID Touch Keypad
- Radio-frequency identification (RFID) function
- Store 60 pieces RFID tags
- LED indication light to show status
- Password protection for home owner
- 3 pieces AAA battery powered
- Battery low voltage SMS reminding function
- Operating frequency 433MHz or 868MHz
- Transmit distance < 80m (in open area)

SOLAR POWERED WIRELESS OUTDOOR SIREN



- Model: Solar Siren
- High conversion rate Silicon solar panel powered device
- No wiring required, a completely wire-free security siren
- 120dB Siren+Strobe LEDs
- Built-in high capacity rechargeable Ni-MH battery
- Outdoor siren or standalone alert system
- Can be programmed with max. 22 units security sensors
- Can be mounted indoor and outdoor
- Anti-Tamper Protected
- 433MHz/868MHz works with wireless alarm system
- IP66 rated waterproof design

WIRELESS INDOOR STROBE SIREN



- Model: Diamond
- Indoor siren or onside alert system
- Wireless signal extender/repeater function
- Plug&play, with standard AC plugs
- 6 zones, each zone can be enrolled with 4 sensors
- Support "Ding Dong" door bell function
- Alert with 100dB sound and LED flashing
- Power input AC 110V 60Hz or AC220V 50Hz
- Built-in Lithium-ion, 3.7V 800mAH battery
- Wireless frequency 433MHz/868MHz
- Extending RF distance > 150 meters

WIRELESS REMOTE SOCKET



- Model: Remote Socket
- Control home appliances via App or SMS
- Manual turn on/off design
- Maximum switching capacity 3120 W
- Working frequency 433MHz
- EU, British, American, Australian plug types for selection
- Less than 1 watt power consumption
- Power input AC 100V -240V 50Hz/60Hz
- Works through walls and ceilings

WIRELESS SMOKE DETECTOR



- Model: VS-WY100
- Standalone & wireless smoke detector
- Power supply DC9V, last 2 years
- 95dB buzzer sound & LED flashing
- Wireless frequency 433MHz/868MHz
- Test button design with mute function
- Sensitivity is adjustable
- Low voltage/battery runs out reminding
- Wireless range <=100 meters (open space)

PIR MOTION DETECTOR



- Model: VS-WH600
- Wide angle PIR detection
- Operating frequency: 433MHz
- Detection scope: 12m * 12m, 100°
- Power supply: 2 * 1.5V AA Batteries
- Low voltage reminding
- Tamper protection design
- Working modes: Test/Work

DOOR/WINDOW DETECTOR



- Model: VS-OWMC
- Powered by 1x AAA 1.5V Battery
- Operating frequency: 433MHz
- RF range: ≤100 meters (open space)
- Low voltage reminding
- Tamper protection
- Test/Panic-Button design

WIRELESS DOORBELL



- Model: VS-DB100
- Wireless doorbell
- Operating frequency: 433MHz
- LED indicator
- Power supply: 1 * CR2032
- Low voltage reminding
- Easy installation by using 3M tape

REMOTE CONTROL



- Model: VS-OYKQ
- Powered by 1* CR2032
- Operating frequency: 433MHz
- RF range: ≤100 meters (open space)
- Low voltage reminding
- LED indicator
- Arm/Disarm/Stay Arm/SOS buttons



www.unifore.net